

Crossline Skipper

Crossline Skippers occur throughout Alabama. They are probably more common than sighting records indicate, perhaps under-reported because of identification issues. Flight begins in spring and continues through fall. These skippers are found in open, usually dry, grassy areas including fields, roadsides, and gardens. Males perch. Both sexes are avid nectarers.



© Vitaly Charny

- Sexually dimorphic: Males have a prominent dark stigma that crosses the dorsal forewing. There is an extensive orange “shoulder” above it. Females have greatly reduced orange along dorsal forewing edge; it may be absent. They usually have two prominent, squared spots in the middle of the forewing. Male wings are more pointed; they appear to hold them in a very upright position.
- Markings and coloration are variable.
- Antennal clubs are bi-colored: black above; light or bright below.
- May be confused with Tawny-edged Skippers. Crosslines are larger, often noticeably. Ventral hindwing typically has a crescent of spots, which is often absent on Tawny-edgeds. The tawny-orange dorsal forewing edge is typically not as bright on Crosslines, but this may be difficult to assess in the field. A dorsal view is important: even so, distinguishing between these two species can be difficult, especially with females—with some individuals, it is impossible.





Crossline Skipper

Dorsal Male

Extensive tawny-orange “shoulder”
along upper wing; ends at stigma

Dark brown ground color

Two or three spots at end of
stigma

Long, straight stigma that crosses
wing

Crossline Skipper *Polites origenes*

© Vitaly Charny

* *Reliable diagnostic markers*

Wingspan: 1 - 1¼ inches (2.5 - 3.2 cm)

Alabama Butterfly Atlas | alabama.butterflyatlas.org



Crossline Skipper

Dorsal Female

Orange edge (sometimes absent)

Wrist bracelet of small spots

Two or more prominent, squared spots

Olive-brown ground color

Crossline Skipper *Polites origenes*

© Vitaly Charny

* *Reliable diagnostic markers*

Wingspan: 1 - 1¼ inches (2.5 - 3.2 cm)



Crossline Skipper

Ventral View

- Noticeable contrast in color between forewing edge and hindwing
- Small spot band
- Ground color ranges from olive-brown to orange-brown
- Crescent band of faint light spots (sometime at sharp angle; sometimes almost absent)

Crossline Skipper *Polites origenes*

© Vitaly Charny

** Reliable diagnostic markers*

Wingspan: 1 - 1¼ inches (2.5 - 3.2 cm)

Similar Species

Crossline Skipper dorsal male



© Vitaly Charny

Crossline Skipper dorsal female



© Vitaly Charny

Crossline Skipper ventral




© Vitaly Charny

Tawny-edged Skipper male



© Vitaly Charny

Tawny-edged Skipper female



© Ted Wilcox

Tawny-edged Skipper ventral



© Vitaly Charny